

SN2130B-NH3

SN2130B-NH3 产品样本

User Manual

File Version: V23.7.8



SN2130B-NH3 using the standard NB-IOT Wireless Interface, easy access to PLC, DCS and other

instruments or systems for monitoring ammonia state quantities. The internal use of high-precision sensing core and related devices to ensure high reliability and excellent long-term stability, can be customized RS232, RS485, CAN, 4-20mA, DC0~5V/10V, ZIGBEE, Lora, WIFI, GPRS and other output methods.


Technical Parameters

Technical parameter	Parameter value
Brand	SONBEST
NH3 range	0~100ppm
NH3 accuracy	±15ppm
Heartbeat Packet	Support
Support frequency bands	telecommunications mobile or China Unicom network
Work mode	query mode or active upload mode
Network Protocol	TCP/UDP/COAP/UDC
Sleep battery	<10uA
Max Current	<100mA
Sleep interval	60-43200 seconds
Built-in battery	2000mAH lithium battery
Power	DC3.3~4.2V
Running temperature	-30~85℃
Working humidity	5%RH~90%RH


How to use?



Application solution



The ZIGBEE module supports multiple types of wireless sensors



Disclaimer

This document provides all information about the product, does not grant any license to intellectual property, does not express or imply, and prohibits any other means of granting any intellectual property rights, such as the statement of sales terms and conditions of this product, other issues. No liability is assumed. Furthermore, our company makes no warranties, express or implied, regarding the sale and use of this product, including the suitability for the specific use of the product, the marketability or the infringement liability for any patent, copyright or other intellectual property rights, etc. Product specifications and product descriptions may be modified at any time without notice.

Contact Us

Company: Shanghai Sonbest Industrial Co., Ltd

Address: Building 8, No. 215 North east road, Baoshan District, Shanghai, China

Web: <http://www.sonbest.com>

Web: <http://www.sonbus.com>

SKYPE: soobuu

Email: sale@sonbest.com

Tel: 86-021-51083595 / 66862055 / 66862075 / 66861077