

SN2130B-PH

NB-IOT 无线 pH 传感器

User Manual

File Version: V19.7.17

SN2130B-PH using the standard NB-IOT Wireless Interface, easy access to PLC, DCS and other instruments or systems for monitoring soil pH state quantities. The internal use of high-precision sensing core and related devices to ensure high reliability and excellent long-term stability, can be customized RS232, RS485, CAN, 4-20mA, DC0~5V\10V, ZIGBEE, Lora, WIFI, GPRS and other output methods.

Technical Parameters

Technical parameter	Parameter value
Brand	SONBEST
PH range	4~8
PH accuracy	±0.5
Heartbeat Packet	Support
Support frequency bands	telecommunications mobile or China Unicom network
Work mode	query mode or active upload mode
Network Protocol	TCP/UDP/COAP/UDC
Sleep battery	<10uA
Max Current	<100mA
Sleep interval	60-43200 seconds
Built-in battery	2000mAH lithium battery
Power	DC6~24V 1A
Running temperature	-30~80°C
Working humidity	5%RH~90%RH

Contact Us

Company: Shanghai Sonbest Industrial Co., Ltd

Address: Building 8, No. 215 North east road, Baoshan District, Shanghai, China

Web: <http://www.sonbest.com> <http://www.sonbus.com>

Support: www.sonbest.com

Email: sale@sonbest.com