

YC7230

Embedded Current Input/Output Alarm Controller

User Manual

File Version: V26.2.24



YC7230 using the standard DC4-20mA current output signal, easy access to PLC, DCS and other instruments or systems for monitoring 4-20mA 输入 state quantities. The internal use of high-precision sensing core and related devices to ensure high reliability and excellent long-term stability, can be customized RS232, RS485, CAN, 4-20mA, DC0~5V\10V, ZIGBEE, Lora, WIFI, GPRS and other output methods.

Technical Parameters

Technical parameter	Parameter value
measuring range	4~20mA
mmeasuring accuracy	±0.5℃ @25℃
Interface	4-20mA
Power	AC185~265V 1A
Dimensions	77mm×77mm×113mm
Running temperature	-30~80℃
Working humidity	5%RH~90%RH

Product Size



Note: Manual measurement, please refer to the actual product.

Wiring instructions

In the case of broken wires, wire the wires as shown in the figure. If the product itself has no leads, the core color is for reference.

How to use?

The intelligent temperature controller is used in anti-condensation protection and environmental protection of high and low voltage switchgear, terminal boxes, and box substations, and can also be used in granaries, warehouses, pharmacies, and factories with high temperature environment requirements



Product List



Certificate

Current input and output alarm controller, Quantity: 1 set
(actual delivery is subject to user's selection)

Disclaimer

This document provides all information about the product, does not grant any license to intellectual property, does not express or imply, and prohibits any other means of granting any intellectual property rights, such as the statement of sales terms and conditions of this product, other issues. No liability is assumed. Furthermore, our company makes no warranties, express or implied, regarding the sale and use of this product, including the suitability for the specific use of the product, the marketability or the infringement liability for any patent, copyright or other intellectual property rights, etc. Product specifications and product descriptions may be modified at any time without notice.

Contact Us

Company: Shanghai Sonbest Industrial Co., Ltd INTOIOT Brand Division

Address: Building 8, No. 215 North east road, Baoshan District, Shanghai, China

Web: <http://www.intoiot.cn>

Web: <http://www.intoiot.com>

SKYPE: soobuu

Email: sale@sonbest.com

Tel: 86-021-51083595 / 66862055 / 66862075 / 66861077