

## YH0730

### Concrete temperature and humidity sensor SHT30 module

#### User Manual

File Version: V23.5.16



YH0730 using the standard ,easy access to PLC , DCS and other instruments or systems for monitoring \_11\_15\_20\_21\_25\_30\_31\_35 state quantities.The internal use of high -precision sensing core and related devices to ensure high reliability and excellent long-term stability,can be customized RS232,RS485,CAN,4-20mA,DC0~5V\10V,ZIGBEE,Lora,WIFI,GPRS and other output methods.

#### Technical Parameters

Shanghai hitdo Industrial Co., Ltd INTOIOT Brand Division

Page1

Technical parameter	Parameter value
Built-in imported chip	SHT10\SHT20\SHT30(optional)
Temperature measurement range	-30℃~80℃
Temperature measurement accuracy	±0.2~0.5℃ @25℃
Humidity measurement range	0~100%RH
Humidity Measurement Accuracy	±1.8~4.5%RH @25℃
Power	DC2.4~3.6V
Running temperature	-30~85℃


## Product Size




## Wiring instructions

In the case of broken wires, wire the wires as shown in the figure. If the product itself has no leads, the core color is for reference.

## Application solution





**PRODUCT FUNCTION AND USE OF SHT20 OR SHT30 CHIP CONSISTENT. YOU NEED TO PROGRAM OR PLUG IN A MODULE TO USE IT**

### Disclaimer

This document provides all information about the product, does not grant any license to intellectual property, does not express or imply, and prohibits any other means of granting any intellectual property rights, such as the statement of sales terms and conditions of this product, other issues. No liability is assumed. Furthermore, our company makes no warranties, express or implied, regarding the sale and use of this product, including the suitability for the specific use of the product, the marketability or the infringement liability for any patent, copyright or other intellectual property rights, etc. Product specifications and product descriptions may be modified at any time without notice.

### Contact Us

Company: Shanghai Sonbest Industrial Co., Ltd INTOIOT Brand Division

Address: Building 8, No. 215 North east road, Baoshan District, Shanghai, China

Web: <http://www.intoiot.cn>

Web: <http://www.intoiot.com>

SKYPE: soobuu

Email: [sale@sonbest.com](mailto:sale@sonbest.com)

Tel: 86-021-51083595 / 66862055 / 66862075 / 66861077